APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	-AUG-08-1990 - NEW PRIORITY DATE: AUG 22						
Returned to applicant for correction	ALIC 9 7 100A						
Corrected application filed	Map filed SEP 1 1 1990						
CALIENTE PUBLI	IC UTILITIES						
The applicant							
P.O. Box 158	City or Town						
Nevada 89008	hereby make application for permission to change the						
State and Zip Code No. Point of Diversion and Place	of lice and Manner of lice						
Point of Private Storia and Frace	f diversion, manner of use, and/or place of use						
of water heretofore appropriated under	Permit No. 40872 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and						
identify right in Decrec.							
1. The source of water is	nderground Name of stream, lake, underground spring or other source.						
2. The amount of water to be changed	Second feet, acre feet. One second foot equals 448.83 gallons per minute.						
3. The water to be used for	ommercial and Domestic Uses gation, power, mining, industrial, etc. If for stock state number and kind of animals.						
	Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.						
5. The water is to be diverted at the following Utilities under Permit No. 46 located within NE½ SW½, Sections of the distance to a section corner. If on unsurveyed land, it should be section to the section corner.	ng point Existing Well Owned by Callente Public Describe as being within a 40-acre subdivision of public survey and by course and ion 5, T.4S., R.67E., MDM; SW Corner of said Section						
5, Dears 5 27 40 29 W., 2,90	50.81 Teet From the Point of Diversion.						
6. The existing permitted point of diversion	is located within NE4 SW4, Section 5, T.4S., R.67E., MDM; If point of diversion is not changed, do not answer.						
SE Corner of said Section 5,	bears S 64 ⁰ 50' E, 3,995.70 feet from existing						
POINT OF DIVERSION.							
7. Proposed place of use of SW4 of Secondary NW4, S5 NE4, E5 SW4 and Desc	e the current City of Caliente boundaries. A portion ction 5, T.4S., R.67E., MDM, and portions of the SE¼ cribe by legal subdivisions. If for irrigation state number of acres to be irrigated. the SE¼ Of M., and portions of the NW¼ SE¼, SW¼ SW¼, N½ SW¼, NW¼						
and the NE¼ of Section 8, T.	4S., R.67E., MDM., all in Lincoln County, Nevada						
8. Existing place of use is a portion	of the NE¼ SW¼, and a portion of the SE¼ SW¼, all subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or						
within Section 5, T.4S., R.6 manner of use of irrigation permit, describe acreage to be	7E., MDM., Lincoln County, Nevada						
9. Use will be from January Month and D	December 31 of each year.						
0. Use was permitted from January	December 31of each year.						
1. Description of proposed works. (Under t	he provisions of NRS 535.010 you may be required to submit plans and						
specifications of your diversion or storage unchanged.	e works.) The existing water delivery system remains State manner in which water is to be diverted, i.e. diversion structure,						
ditches, pipes and flumes, or drilled well, etc.							
2. Estimated cost of works \$25,0							
3. Estimated time required to construct work	s Existing 14" well is complete.						

	stimated time r	eguired t	o complet	e the anni	ication	of water	er to h	enefici	al use	ð	5 ye	ars.			
	emarks: For i										of u	nits to	be se	erved	or annı
cor	onsumptive use eed transfe	•	-	-		_									
	tilities w			*****			*****			:10n.	5e	е ат	т1аа	V1.T	T11ea
<u>un</u>	nder 46941	dated	6-20-8	6 origi	nal i 	s und	er 48	3455.	****						
Compa	ared bc/bc		г	ıb/se		Ву	s/I Rol P.(Rober bert). Bo	t 0. 0. / x 22	And Inder	erso son, Mino	n P.E len,	. (A Neva	gent ida 8) 9423
Proteste	ted 2/15/91	by: U	.S. Dep	. of th	e Int	erior	, Na	tiona	l Pa	ark S	ervi	ice			***-****
	o. overrululing No. 4		0/93												
1(4)	g 110. 1			APPRO	VAL	OF	STATI	E ENC	HNE	ER					
copose	canding thed herein. The is unde			_						d hei			_		_
pender at th II sl curate flu verte The the ndition ating others suance	ary alloward upon his right mand the measurement of injected and consider product surface from that group purposes mal fluid the of this NUED ON PAGE	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit	nd tha ount ac low for and ma ust be to the or a be nd inje otect f geother fresh, to b	t the ctually a reas intaine kept of a injection we cresh was mal fluctured to cold be returned.	fina place sonable do to tion al use rell a ter 2 aids a water urned	al ried to le ded prevecharge well e. are to are to	ght bene creasent a control of to do be to be the state of the state o	obtained ficial ender of the period of the p	al u flu aste prod nine ated ermi rted not	se. id prof to the from the and to have	It ress the con we tota issi use coe d in in	is a ure geothell a are produced to be iver	lso mand hermand mound before the subjection with the subjection w	under heat al f the a t of ing ect t cial well	ill be rstood The luid. Amount fluid Levels to the ly for e used. The
pender at the curate flu vertee the ating other suance	ent upon his right metall be eque measurement injected and consider producted surface ton that graphoses and fluid the of this	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2)	nd that ount account account account and manust be to the or a be noted to the fresh, to be does noted to the fresh,	t the tually a reas intaine kept of a injection with the cold mal flue cold be returned to the cold and the c	finate place conabled to discretion al use rell a water ranged for the first constant of	al ried to le dec prevecharge well e. care to care to the requirements of the requirem	dent bene creas ent a control of to do be fers the sirem	obtain ficial e of ny wather I eterm cemer is pediver are ource ents	al u flu aste prod nine nted ermi rted not tha	se. id profit the from t is and to hat the	It ress the con we total issued to the contract of the contrac	is a ure geothell al an e product de beriver ject	lso mand hermand mound before ted.	under heat al f. the a t of ing ect t cial. The well der o	ill be rstood. The luid. amount fluid levels to the ly for e used. The obtain
pender at the ll sicurate flu vertee The the ndition ating other suance ONTINI	ent upon his right m shall be equive measurem hid injected and conside product extracted surface hon that how purposes hom fluid hid cof this hued on pag	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch	nd that ount account a	t the tually a reas intaine kept of a injection were transfer to a cold be returned to the cold be rea	final place contable do to final use cell a	al ried to le ded prevecharge well e. are to raquite requirements to the amenda to the amenda the a	bene creas ent a e of to d be fers che s iirem	obtained ficial end of the peterm cemer is pediver are ource ents	al u flu aste prod nine nted ermi rted not tha an be	se. id prof to the from t is and to hat the the applications applications applications.	ress the con we tota m the issi usec be in e per	is a ure geothell al are produced a benief	lso mand hermand mound before ted. ion whole ficial united ted.	under heat al f. the a t of ing ect t cial. The well der o	ill be rstood. The luid. amount fluid levels to the ly for e used. The bbtain and not
pender at the flu curate flu vertee The the nditie ating other suance ONTINE	ent upon his right m shall be equive measurem hid injected and consider product expression that hig purposes high fluid high mount of water	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2)	nd that ount account account account account and ust be to the or a be nd injected fresh, to be does not anged sha	t the tually a reas intaine kept of a injection we call for cold be returned wait all be limited.	final places on ablaction at use rell a water a rectangle the rectangle ted to be rectangled.	al ried to le dec prevecharge well e. are to raqui to the requirement of the requirement of the amenda of feet process.	dight bene crease of to do be fers sirem	obtained ficial end of the period of the contract of the contr	al u flu flu aste prod nine nted ermi rted not tha an be	se. id prof to the from the is and to have the the the the the true the true true true true true true true tru	It ress the con we total used to e in e per	is a ure geothell a are produced so the produc	lso mand hermand mound subjected. ion whole ficial was also be a seed as a s	under heat al f the a t of ing ect t cial The well der o	ill be rstood. The luid. amount fluid levels to the ly for e used. The obtain and not
pender at th II si curate flu vertee The the ndition ating other suance ONTINE	ent upon his right m shall be equive measurem hid injected and consider product es surface hon that hope purposes from this hued on PAG hount of water	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch	nd that ount account a	t the ctually a reas intaine kept of a injection we want flu cold be returned wait wait wall be limited.	fina place sonable do to discretion al use rell a water in the ted to to the control of the cont	al ried to ded to de	dight bene crease of to do be fers che solirem	obtained ficial end of the period of the per	al u flu aste prod nine nted ermi rted not tha an be	se. id profit of the front is and to hat the the applications.	It ress the con wo total used to e in the coe do to total e to	is a ure geotivel al an e proued de benef	lso mand hermand mound oduction whole ficial was also be a seed as	under heat al f the a t of ing ect t cial The well der c use, a	ill be rstood The luid. amount fluid to the ly for e used The bbtain nd not
pender at th II si curate flu vertee The the ndition ating other suance ONTINI The am exceed	ent upon his right m shall be equive measurem hid injected and consiste product es surface hon that g purposes mal fluid the of this NUED ON PAG	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch	nd that ount account account account account and manust be to the or a be not injected fresh, to be does not anged shall anged shall areasonab	t the tually a reas intaine kept of a injection were the cold cold be returned wait all be limited.	fina place sonabled to discretion all use water a sids a water are the ted to discretion all use water are the ted to discretion all use and discretion all use all	al ried to le dec preve charge well e. are to raqui to the amois feet prevente com	dight bene crease of to do be fers che so irem	obtained ficial end of the period of the contract of the contr	al u flu aste prod nine nted ermi rted not tha an be	se. id profit of the front is and to hat the applications	It ress the con wo total used to the con total used to the control used to t	is a ure geother geoth	lso mand hermand hermand hours before the hold hold hermand hold hermand hold hermand hold hermand hold hermand hold hermand h	under heat all find the at of the at	ill be rstood. The luid. amount fluid levels to the ly for e used. The obtain and not
pender at th II si curate flu vertee The the nditi ating other suance ONTINI The am exceed Work m	ent upon his right m shall be equive measurem hid inject ed and consider product es surface hon that g purposes final fluid his nount of water f 447 milli must be prosect	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal uted with of work s	nd that ount account account account account and manust be to the or a be nd injected fresh, to be does not anged shall be filled.	t the stually a reas intaine kept of a reficience injection where a result of the cold be returned wait all be limited to the cold of the	fina place conable do to discretion al use rell a water and ted to ted t	al ried to le dec prevecharge well e. are to raqui to le require requi	dight bene creas ent a control of the control of th	obtained ficial end of the period of the contract of the contr	al u flu flu aste prod nine nted ermi rted not tha an be	se. id prof to the from the is and to have the the the the the the the the the th	It ress the con we total used to the con total t	is a ure geothed al and e produced some siver ject muit	lso and hermand mount oduction ted. ficial under the hold of the h	under heat all fithe at the at	ill be rstood The luid. Amount fluid Levels to the ly for e used The obtain
pender at th II si curate flu vertee The the ndition ating other suance ONTINE The am exceed Work m Proof of	ent upon his right m shall be equive measurem hid inject ed and consider product es surface hon that g purposes rmal fluid the of this NUED ON PAG mount of water f 447 milli must be prosect of completion of	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal uted with f work s	nd that ount account account account account and manust be to the or a been dinjected fresh, to be does not anged shall be filled as a count account a	t the stually a reas intaine kept of a reficial section we see that a reas ection we see that a reas wait and be returned wait and be limited to be seed t	fina place sonable do to discretion al use rell a vater a vater are the ted to discretion cubic de and de on other discretions.	al ried to de december de la require to de r	dight bene creas and a contract of to do be fers che sirem count we contract of the contract o	obtained ficial end of the period of the per	al u flu aste prod nine nted ermi rted not tha an be before	se. id prof to the from the is and to have the the the the the the the the the th	It ress the con we total used to total editor and total editor editor and total editor edi	is a ure geotivel al an e proued so iver ject rmit beneficial an example or il	lso mand hermand hermand hours below here hold hold here	under the at the	ill be rstood The luid. Amount fluid Levels to the ly for e used The bbtain and not
pender at th II si curate flu vertee The the nditic ating other suance ONTINE The am exceed Work m Proof of	ent upon his right m shall be equive measurem hid injected and consiste product es surface hon that g purposes mal fluid the of this NUED ON PAG mount of water from the prosected and the prosected and the prosected and the prosected attention of water the prosecte	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal uted with of work s to benefic	nd that ount account a	t the etually a reas intaine kept of a injection we resh was mal flu cold be returned waits and be limited and be defored and be mally.	fina place sonable do to disconstituted a tent of the control of t	al ried to de preve charge well e. are to de raqui to de require requirement of the ame or be comported to the comported to t	dight bene crease of to do be fers the streem ount we have be the second of the control of the c	obtained ficial and the period of the period	al u flu aste prod nine nted ermi rted not tha an be	se. id profit of the front is and to hat the applit to the second	It ress the con wo total used on the con we do not be performed by the control of	is a ure geotivel al an e proued de beriver ject rmit	lso mand hermand hermand hours below here holds here ho	under heat all finds at off the state of the	ill be rstooc The luid. amount fluic to the ly for e used The bottain and not
pender lat the lat the lat flu vertee The the lating lother suance ONTINI The am exceed Work m Proof of Applica Proof of Map in	ent upon his right m shall be equive measurem hid inject ed and consider product es surface hon that g purposes final fluid the of this hued on PAG hount of water final fluid the of this hued on the mount of water final fluid the application of the application of the application	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal ited with of work s to benefic	nd that ount act low for and maust be to the or a be nd injected fresh, to be does not anged shall be fill the cial use shall be fill the to be not an act of the cial use shall be fill the to be not an act of the cial use shall be fill t	t the etually a reas intaine kept of a injection we call flu cold be returned wait wait wait wait wait wait wait wait	fina place sonable do to discontinuo de tion al use rella a water rella a water rella de to de t	al ried to ded to de preve charge well e. are to de comes de requirement to de requirement de re	dight bene crease of to do be fers the streem ount we be seed to do be fers the streem ount we be seed to do be fers the streem ount we be seed to do be fers the streem ount we be seed to do be fers the streem ount we be seed to do not be fore	obtained ficial end of the period of the per	al u flu aste prod nine nted ermi rted not tha an be before	se. id profit of the front is and to hat the true the true the true true true true true true true tru	It ress the con we total issi usecoe do in the period An	is a ure geotive al are proued de beriver ject rmit benef exce May May /A CHAEL	lso hand hermand hermand hermand hours below here here here here here here here her	under heat all fithe at the at	ill be rstood The luid. Amount fluid Levels to the ly for e used The obtain and not
epender at the at the curate flu vertee The chating cother suance CONTING The am exceed Of Work m Proof of Applica Proof of Map in	ent upon his right m shall be equive measurem hid inject ed and consider product es surface hon that g purposes final fluid the of this NUED ON PAG mount of water for completion of ation of water of the application a support of pro-	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal uted with of work s to benefic	nd that ount act low for and maust be to the or a be nd injected fresh, to be does not anged shall be filled in the cial use shall be filled in the cial use shall be neficial use shall be necical use shall be neficial us	t the etually a reas intaine kept of a reficial ection we want flu cold be returned wait wait was all be limited before. The cold before all be maleficial use as shall be	fina place sonable do to discontinuo de tion al use rella a water rella a water rella de to de t	al ried to de preve charge well e. are to de raqui to de requi to	ght bene crease of to do be fers che solirem ount we be second or	obtained ficial and the period of the period	al u flu aste prod nine nted ermi rted not tha an be before	se. id prof to the front is and to hat the true to hat the true to hat the true to hat the true true true true true true true tru	It ress the con wo total used on which is single per per per per per per per per per pe	is a ure geotive al are proued siver ject. may benefit excent oril May oril May A CHAEL set my	lso hand hermand hermand hours below hold hold hold hold hold hold hand a hand a hand a	under heat all fithe at the at	ill be rstood The luid. amount fluid to the ly for e used The bobtain and not tal
epender hat the ell significant of the courate full filter the courate full significant the courate full significant the courate the courate full the courate the the the courate the the the the the the the the the t	ent upon his right m shall be equive measurem hid inject ed and consider product es surface hon that g purposes final fluid tee of this hued on PAG hount of water final fluid tee of this hued on PAG hount of water final fluid tee of this hued on PAG hount of water final fluid the application of the application for the applic	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal ited with of work s to benefic	nd that ount act low for and manust be to the or a be nd injected fresh, to be does not anged shall be filled use shall be fil	t the stually a reas intaine kept of a reficial we call be limited to the cold be returned wait all be limited to the cold be returned to the cold be cold before. The cold before the	fina place sonable do to discontinuo de tion al use rella a water rella a water rella de to de t	al ried to le ded to le ded to le ded to le ded preve charge well e. are to de raqui to le requi to le	ght bene creas ent a control of the state of	obtained ficial end of the period of the per	al u flu aste prod nine nted ermi rted not tha an be before	se. id prof to the front is and to hat the true to hat the true to hat the true to hat the true true true true true true true tru	It ress the con wo total used on which is single per per per per per per per per per pe	is a ure geotive al are proued siver ject. may benefit excent oril May oril May A CHAEL set my	lso hand hermand hermand hours below hold hold hold hold hold hold hand a hand a hand a	under heat all fithe at the at	ill be rstood. The luid. Amount fluid fluid to the ly for e used. The bbtain and not tal
epender hat the ell significant full full ivertee The condition eating eother suance CONTINI The am exceed of Work m Proof of Applica Proof of Cultural for Certificate	ent upon his right m shall be equive measurem hid inject ed and consider product es surface hon that g purposes final fluid the of this hued on PAG hount of water final fluid the of this hued on the prosect of completion of the application a support of pro- tion of work filed fibeneficial use file	nce a the am ust al uipped ents m ed in umed f ion a to pr only and s are permit E 2) to be ch on gal ited with f work s to benefic on of wat bof of ber	nd that ount act low for and maust be to the or a be nd injected fresh, to be does not anged shall be filled in the cial use shall be filled in the cial use shall be meficial use shall be meficial use the company of the cial use shall be meficial use shall be mefi	t the stually a reas intaine kept of a injection was section was smal flu cold be returned waits and be limited to the cold section waits and be limited and waits and be section	fina place sonable do to discretion al use rell a ster zaids a water irred re the ted to de and de on o shall be filed o	al ried to de preve charge well e. are to de raqui to de requi to	ght bene creas ent a control of the state of	obtained ficial end of the period of the per	al u flu aste prod nine nted ermi rted not tha an be before	se. id prof to the front is and to hat the the true to have the true to have the true true true true true true true tru	It ress the con which total issued to the con which issued to the control issued to the	is a ure geotive de la	lso and hermand hermand hermand hours subjected. ion whole hole hole hole hermand at the hole hermand at the hole hermand at the hermand at t	under heat all fithe at the at	ill be rstood The luid. amount fluid to the ly for e used The bobtain and not tal

Page 2 55166

(PERMIT TERMS CONTINUED)

other permits from State, Federal and local agencies. A detailed log on the injection well and/or other analyses of the system used for returning the used geothermal fluids to the source must be submitted together with the Proof of Completion.

An annual report for this well must be filed under this permit describing the amount of geothermal fluid diverted and consumed to a beneficial use for the calendar year. This report must detail the amount of fluid produced and injected.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to the State Engineer's Ruling No. 4012, dated June 30, 1993.